

CONFIRMATION

Application registered S04/10/0079/2703


on

INITIAL TYPE TESTING

carried out pursuant to Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products as amended by Council Directive 93/68/EEC of 22 July 1993

Product: PVC-U windows and French windows
Systems: DECEUNINCK ZENDOW (STANDARD, OPTIMA, ZENDOW+)
System supplier: DECEUNINCK POLSKA SP. Z O.O., Jasin, ul. Poznanska 34, 62-020 Swarzedz, POLAND
Manufacturer: Dom-Plast SP. J., Zbigniew Kopała i wspólnici, ul. Kilińskiego 22H, 27-400 Ostrowiec Św., Poland
Factory: ul. Kilińskiego 22H, 27-400 Ostrowiec Św., Poland
Product standard: EN 14351-1: 2006 Windows and doors. Product standard, performance characteristics. Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics

Intended use of the product: The product is intended for closing passage opening in external walls of buildings. Type of infill has to respect requirements of design codes particularly in acoustic and thermal performance.

Sample	Characteristic	Declared value	Test standard	Range of application
 Dimensions (B x H): 1.230 m x 1.480 m	Acoustic performance (NB)	$R_w(C, C_{tr}) = 32 (-1; -5) \text{ dB}$	EN ISO 140-3 EN ISO 717-1	Overall area $\leq 2,7 \text{ m}^2$
	Thermal transmittance (NB)	$U_w = 1,4 \text{ W/m}^2\text{K}$	EN ISO 10077-1	Overall area $\leq 2,3 \text{ m}^2$

Note 1: Characteristics in competence of a notified laboratory are marked (NB).

Note 2: This confirmation is valid only with the above indicated test report.

In Nitra, 20.04.2010

Daša Kozáková
Head of NB 1301
representing
Ladislav Lósy
Director of Branch office Nitra



Osvedčovací miesto OM 04, člen EOTA
Notifikovaná osoba 1301
Autorizovaná osoba SK04
Autorizovaná osoba SKTC-105



Úsek preukazovania zhody
Studená 3, 821 04 Bratislava

Pobočka Bratislava
Studená 3, 821 04 Bratislava
Pobočka Nové Mesto n/Váhom
Trenčianska 1872/12, 915 05 Nové Mesto n/Váhom
Pobočka Nitra
Braneckého 2, 949 01 Nitra
Pobočka Zvolen
Jesenského 15, 960 01 Zvolen

Pobočka Žilina
A. Rudnaya 90, 010 01 Žilina
Pobočka Košice
Krmánova 5, 040 01 Košice
Pobočka Prešov
Budovateľská 53, 080 01 Prešov
Pobočka Tatranská Štrba
Štefánikova 24, 059 41 Tatranská Štrba



CONFIRMATION

Application registered S04/10/0079/2703







on

INITIAL TYPE TESTING

carried out pursuant to Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products as amended by Council Directive 93/68/EEC of 22 July 1993

Product: PVC-U windows and French windows
Systems: DECEUNINCK ZENDOW(STANDARD, OPTIMA, ZENDOW+)
System supplier: DECEUNINCK POLSKA SP. Z O.O., Jasin, ul. Poznanska 34, 62-020 Swarzedz, POLAND
Manufacturer: Dom-Plast SP. J., Zbigniew Kopała i wspólnici, ul. Kilińskiego 22H, 27-400 Ostrowiec Św., Poland
Factory: ul. Kilińskiego 22H, 27-400 Ostrowiec Św., Poland
Product standard: EN 14351-1: 2006 Windows and doors. Product standard, performance characteristics. Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics

Intended use of the product: The product is intended for closing passage opening in external walls of buildings. Type of infill has to respect requirements of design codes particularly in acoustic and thermal performance.

Sample	1	2	3	4	5	6	Test standard	Range of direct application
								
Dimensions (B x H):	(1600x2300) mm	(1400x2095) mm	(2800x1435) mm	(2065x1635) mm	(900x2200) mm	(1645x2200) mm	Classification standard	
Test report	40-09-0918	40-09-0919	40-09-0920	40-09-0921	NL-4487/LL-302/K/07			
Characteristic	Classification - Declared value							
Air permeability (NB)	4	4	4	4	4	3	EN1026 EN 12207 EN1027 EN 12208	-100% to +50% of test specimen overall area
Watertightness (NB)	E750	E1050	E900	E900	8A	8A	EN12211 EN 12210	
Resistance to wind-load (NB)	C2/B4/A5	C3/B4	C5	C4/B5	C4	C1	EN12211 EN 12210	-100% of test specimen overall area
Load-bearing capacity of safety devices (NB)	350 N	350 N	350 N	350 N	-	-	EN14609 EN 14351-1 EN 12400	-100% of test specimen overall area

Note 1: Characteristics in competence of a notified laboratory are marked (NB).

Note 2: This confirmation is valid only with the above indicated test report.

In Nitra, 20.04.2010

Daša Kozáková
Head of NB 1301
representing
Ladislav Lósy
Director of Branch office Nitra



Osvedčovací miesto OM 04, člen EOTA
Notifikovaná osoba 1301
Autorizovaná osoba SK04
Autorizovaná osoba SKTC-105



Úsek preukazovania zhody
Studená 3, 821 04 Bratislava

Pobočka Bratislava
Studená 3, 821 04 Bratislava
Pobočka Nové Mesto n/Váhom
Trenčianska 1872/12, 915 05 Nové Mesto n/Váhom
Pobočka Nitra
Braneckého 2, 949 01 Nitra
Pobočka Zvolen
Jesenského 15, 960 01 Zvolen

Pobočka Žilina
A. Rudnaya 90, 010 01 Žilina
Pobočka Košice
Krmánova 5, 040 01 Košice
Pobočka Prešov
Budovateľská 53, 080 01 Prešov
Pobočka Tatranská Štrba
Štefánikova 24, 059 41 Tatranská Štrba